

Order Sheet Barcode Service for Microplates

Name _____
 Institution _____
 Street _____
 Postal code/City _____

Country _____
 Phone _____
 Fax _____
 E-Mail _____

 For detailed information about "barcode" please ask for our brochure **Barcode-ABC** under (+49) 70 22 9 48 -0.

Product _____
 Quantity _____

Barcode type (128A, B, C; EAC; Code 39; UBC; EAN; 2/5 inter-leaved etc.) _____


Packaging unit:

Special requirements for labels: _____

- Standard packaging
 _____ Quantity per bag

Please note: standard Greiner Bio-One labels, ink, and adhesive used on bar-coding are DMSO resistant and withstand freezing up to -80° C.

Referencing the plate picture, circle all sides to be bar-coded. Be oriented towards the alphanumeric coding. Referencing the standard label size barcode (65 x 6 mm) template (actual size), draw the human readable/barcode sections onto the label template, or place actual label over template. Fill out specifics of your barcode label below.



Standard Barcode label Template (actual size)

Total # of alpha/numeric characters: _____

Sequence start: _____

End: _____

Special request: _____
(if applicable)

"Quiet zone": _____ mm

Printed area no greater than: _____ mm

Position of the "Human Readable" section

- below above right
 left of the barcodes

Referencing the sides circled above, please show exact placement of label on the corresponding plate side. (i. e. far left, centered, far right, etc.)

S1

S2

L1

L2

Final Authorization

Sample received and approved by _____ Date _____

By signing the approved line, customer acknowledges that the sample plate has met listed specifications and that production (consistent with the sample) is authorized with receipt of a purchase order.