

- Flasks and VersaCaps™ are autoclavable
- Vented VersaCaps™ available
- Sterility tested to SAL 10<sup>-6</sup>
- Molded in graduations
- Fits all standard clamps
- Sterile flasks are DNase/RNase-free
- Sterile flasks are non-pyrogenic
- Manufactured in a Class 100,000 cleanroom
- Minimize pH shifts and oxidation

### Caution

- Do not use flasks under pressure or vacuum
- Do not use flasks at temperatures greater than the rated maximum
- Do not store oxidizing agents in flasks
- Do not flame flasks

Foxx Life Sciences' Erlenmeyer Shaker Flasks are molded from virgin, optically clear, non-leaching polycarbonate resin. Our flasks retain clarity after gamma radiation, and comply with stringent FDA and USP requirements. Sterile flasks are additionally certified as non-pyrogenic and DNase/RNase-free, making them ideal for cell cultures, microbial cultures, plants, media preparation, storage, and all related applications. They fit all standard shaking incubator clamps and can be placed on any platform.


Foxx Life Sciences' Flasks are available with a flat or baffled base for increased oxygenation and mixing. Flasks are compatible with all 50mm VersaCaps™ and adapter inserts, enabling easy customization of top connections. Vented VersaCaps™ with a 0.2 µm hydrophobic membrane can be purchased with the unit, or separately as an accessory. All Flasks and VersaCaps™ are autoclavable at 15 PSI and 121°C for 20 minutes.

- 1 Baffled and flat base versions available
- 2 Leakproof VersaCap™ with interchangeable adapters
- 3 Molded in graduation marks
- 4 Sterile and non-sterile versions available
- 5 20% overhead space





Product Number	Description	Volume (L)	Material	Cap (mm)	Qty/CS
<b>Non-Sterile</b> ● ●					
248-4131-OEM	Laboratory Flask, PC, 1 L, Flat Base, 50 mm cap, Non-Sterile	1	PC	50 Closed	6
248-4231-OEM	Laboratory Flask, PC, 1 L, Baffled Base, 50 mm cap, Non-Sterile	1	PC	50 Closed	6
248-5131-OEM	Laboratory Flask, PC, 2 L, Flat Base, 50 mm cap, Non-Sterile	2	PC	50 Closed	6
248-5231-OEM	Laboratory Flask, PC, 2 L, Baffled Base, 50 mm cap, Non-Sterile	2	PC	50 Closed	6
<b>Sterile</b> ● ● ● ●					
248-4132-OEM	Laboratory Flask, PC, 1 L, Flat Base, 50 mm cap, Sterilized	1	PC	50 Closed	6
248-4142-OEM	Laboratory Flask, PC, 1 L, Flat Base, 50 mm cap, Vented, Sterilized	1	PC	50 Vented	6
248-4232-OEM	Laboratory Flask, PC, 1 L, Baffled Base, 50 mm cap, Sterilized	1	PC	50 Closed	6
248-4242-OEM	Laboratory Flask, PC, 1 L, Baffled Base, 50 mm cap, Vented, Sterilized	1	PC	50 Vented	6
248-5132-OEM	Laboratory Flask, PC, 2 L, Flat Base, 50 mm cap, Sterilized	2	PC	50 Closed	6
248-5142-OEM	Laboratory Flask, PC, 2 L, Flat Base, 50 mm cap, Vented, Sterilized	2	PC	50 Vented	6
248-5232-OEM	Laboratory Flask, PC, 2 L, Baffled Base, 50 mm cap, Sterilized	2	PC	50 Closed	6
248-5242-OEM	Laboratory Flask, PC, 2 L, Baffled Base, 50 mm cap, Vented, Sterilized	2	PC	50 Vented	6
<b>Caps</b> ● ● ● ●					
205-0313-RLS	Cap, VersaCap 50, Closed Top, Two per case	-	PP	50	2
205-0314-RLS	Cap, VersaCap 50, Open top w/ Closed Adapter, Two per Case	-	PP	50	2
205-0317-RLS	Cap, VersaCap 50, Open, with Molded 1/8" HB Adapter	-	PP	50	1
205-0318-RLS	Cap, VersaCap 50, Open, with Molded 1/4" HB, Adapter	-	PP	50	1
205-0319-RLS	Cap, VersaCap 50, Open, with Molded 5/16" HB, Adapter	-	PP	50	1
205-0345-RLS	Cap, VersaCap 50, Vented Top with 0.2 µm Hydrophobic Membrane	-	PP	50	1
205-3331-RLS	Adapter Insert, VersaCap 50, Closed	-	PP	50	1
205-5331-RLS	Adapter, Molded In Barbs, VersaCap 50, Dual 1/8" HB and Vent	-	PP	50	1
205-5332-RLS	Adapter, Molded In Barbs, VersaCap 50, Dual 1/4" HB and Vent	-	PP	50	1
205-5333-RLS	Adapter, Molded In Barbs, VersaCap 50, Dual 5/16" HB and Vent	-	PP	50	1



We recommend testing for your specific application before use.

Foxx Life Sciences, 8 Industrial Way Suite E1, Salem, NH 03079  
 www.foxxlifesciences.com